

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes
ADHD/Narcolepsy - Stimulants	Amphetamine Salt Combo - Adderall®	Hyperkinetic Syndrome	F90.*
	Dextroamphetamine / Amphetamine ER - Adderall XR®	Narcolepsy	G47.4*
	Dextroamphetamine Sulfate IR, ER - Dexedrine®, ProCentra®, Zenzedi®		
		Circadian Rhythm Sleep Disorder, Shift Work Type	G47.26
	Armodafinil - Nuvigil®	Narcolepsy	G47.4*
	Modafinil - Provigil®	Obstructive Sleep Apnea	G47.33
	Atomoxetine - Strattera®	Hyperkinetic Syndrome	F90.*
	Lisdexamfetamine - Vyvanse®		
	Clonidine ER - Kapvay®	Hyperkinetic Syndrome	F90.*
	Guanfacine ER - Intuniv®	Tics / Tourette's Disorder	F95.*, G25.6*
		Hyperkinetic Syndrome	F90.*
	Clonidine IR - Catapres®, Catapres-TTS®	Hypertension	I10, I11.*, I12.*, I13.*, I15.*
	Guanfacine IR - Tenex®	Hypertension in Congenital Heart Disease	Q20.*, Q21.*, Q22.*, Q23.*, Q24.*, Q25.*, Q26.*, Q27.*, Q28.*
		Tics / Tourette's Disorder	F95.*, G25.6*
	Dexmethylphenidate, Dexmethylphenidate ER - Focalin®, Focalin XR®	Cancer-Related Fatigue	R53.0
		Hyperkinetic Syndrome	F90.*
	Methylphenidate IR - Methylin®, Ritalin®	Cancer-Related Fatigue	R53.0
Antipsychotics	Methylphenidate ER - Aptensio®, Concerta®, Metadate® CD, ER, Quillivant XR®, Ritalin® LA, SR Methylphenidate Patch - Daytrana®	Hyperkinetic Syndrome	F90.*
		Narcolepsy	G47.4*
		Aggression or Irritability in Pervasive Developmental Disorder (PDD)/Autistic Disorder	F84.*
		Aggression in Conduct Disorder, Disruptive Behavior Disorder, Explosive Personality Disorder, Impulse Control Disorder, Intermittent Explosive Disorder, Isolated Explosive Disorder, Pervasive Developmental Disorder, or Unsocialized Aggression	F60.3, F63.3, F63.8*, F63.9, F84.*, F91.1, F91.8, F91.9
		Bipolar Disorder, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
	Aripiprazole Oral - Abilify® Quetiapine - Seroquel® Quetiapine XR - Seroquel XR® Risperidone Oral - Risperdal®	Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Tics/Tourette's Disorder	F95.*, G25.6*
		Additional Covered Codes: Borderline Personality Disorder, Depersonalization Disorder, Obsessive-Compulsive Disorder, Paranoid Personality Disorder	F42, F48.1, F60.0, F60.3

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes
Antipsychotics	Aripiprazole Injection - Abilify® Aripiprazole Injection Suspension - Abilify Maintena® Injection Aripiprazole Lauroxil ER Injection Suspension - Aristada® Injection Asenapine - Saphris® Brexpiprazole - Rexulti® Cariprazine - Vraylar® Clozapine - Clozaril®, FazaClo®, Versacloz® Fluphenazine Oral, Injection, Decanoate Injection Haloperidol Decanoate Injection - Haldol® Iloperidone - Fanapt® Loxapine, Breath Activated Aerosol Powder - Adasuve® Loxapine, Capsule Lurasidone - Latuda® Olanzapine Injection - Zyprexa® Olanzapine Injection Suspension - Zyprexa Relprevv® Paliperidone Oral - Invega® Paliperidone Injection (1-month) - Invega Sustenna® Paliperidone Injection (3-month) - Invega Trinza® Thioridazine Thiothixene Ziprasidone Injection - Geodon®	Agitation or Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
	Delusions, Dementia, Psychoses or Agitation in Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89	
	Bipolar Depression, Bipolar Disorder, Agitation or Psychoses in Bipolar Disorder, Agitation or Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39	
	Major Depressive Disorder, Agitation or Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9	
	Schizophrenia or Schizoaffective Disorder or Agitation in Schizophrenia or Schizoaffective Disorder	F20.*, F25.*	
	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*	
	Bipolar Mania, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39	
	Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89	
	Hiccough	R06.6	
	Hyperkinetic Syndrome	F90.*	
	Nausea and Vomiting	G43.A0, K91.0, R11.*	
	Porphyria	E80.0, E80.1, E80.20, E80.21, E80.29	
	Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9	
	Schizophrenia or Schizoaffective Disorder	F20.*, F25.*	
	Severe Behavioral Problems	F43.24, F63.81, F91.1, F91.8, F91.9	
	Tetanus	A35	

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes
Antipsychotics	Haloperidol Oral - Haldol®	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Hyperkinetic Syndrome	F90.*
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Severe Behavioral Problems	F43.24, F63.81, F91.1, F91.8, F91.9
		Tics/Tourette's Disorder	F95.*, G25.6*
	Haloperidol Lactate Injection - Haldol® Risperidone Injection Suspension - Risperdal Consta®	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Bipolar Disorder, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Tics/Tourette's Disorder	F95.*, G25.6*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes
Antipsychotics	Olanzapine Oral - Zyprexa® Ziprasidone Oral - Geodon®	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Aggression in Conduct Disorder, Disruptive Behavior Disorder, Explosive Personality Disorder, Impulse Control Disorder, Intermittent Explosive Disorder, Isolated Explosive Disorder, Pervasive Developmental Disorder, or Unsocialized Aggression	F60.3, F63.3, F63.8*, F63.9, F84.*, F91.1, F91.8, F91.9
		Bipolar Disorder, Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
	Olanzapine/Fluoxetine - Symbyax®	Additional Covered Codes: Borderline Personality Disorder, Depersonalization Disorder, Obsessive-Compulsive Disorder, Paranoid Personality Disorder	F42, F48.1, F60.0, F60.3
		Bipolar Depression, Negative Symptoms of Psychoses in Bipolar Disorder, Negative Symptoms of Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Depression	F31.3*, F31.4, F31.5, F31.75, F31.76, F31.81, F31.9, F32.*, F33.*, F34.1
		Negative Symptoms of Delusions, Dementia or Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Negative Symptoms of Pervasive Developmental Disorder (PDD)	F84.*
		Negative Symptoms of Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Negative Symptoms of Schizophrenia or Schizoaffective Disorder	F20.*, F25.*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes
Antipsychotics	Perphenazine Prochlorperazine Injection - Compazine®	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Severe Nausea and Vomiting	G43.A0, K91.0, R11.*
	Perphenazine/Amitriptyline	Aggression or Irritability in Pervasive Developmental Disorder (PDD) with Depression	F84.*
		Anxiety	F06.4, F34.1, F41.*
		Bipolar Disorder with Depression, Other Episodic Mood Disorders with Depression	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Delusions with Depression, Dementia with Depression, Psychoses with Depression	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Depression	F31.3*, F31.4, F31.5, F31.75, F31.76, F31.81, F31.9, F32.*, F33.*, F34.1
		Schizophrenia with Depression, Schizoaffective Disorder with Depression	F20.*, F25.*
	Pimozide - Orap®	Tics/Tourette's Disorder	F95.*, G25.6*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes
Antipsychotics	Prochlorperazine Oral - Compazine®	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
		Anxiety	F06.4, F34.1, F41.*
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*
		Severe Nausea and Vomiting	G43.A0, K91.0, R11.*
		Severe Nausea and Vomiting	G43.A0, K91.0, R11.*
	Prochlorperazine Rectal - Compazine®	Aggression or Irritability in Pervasive Developmental Disorder (PDD)	F84.*
	Trifluoperazine	Anxiety	F06.4, F34.1, F41.*
		Delusions, Dementia, Psychoses	F01.*, F02.*, F03.*, F04, F05, F06.0, F06.2, F06.30, F06.31, F06.32, F06.33, F06.34, F06.8, F10.150, F10.151, F10.250, F10.251, F10.26, F10.94, F10.950, F10.951, F10.96, F10.97, F11.121, F11.150, F11.151, F11.221, F11.250, F11.251, F11.921, F11.950, F11.951, F12.121, F12.150, F12.151, F12.221, F12.250, F12.251, F12.921, F12.950, F12.951, F13.121, F13.150, F13.151, F13.221, F13.250, F13.251, F13.27, F13.921, F13.950, F13.951, F13.97, F14.121, F14.150, F14.151, F14.221, F14.250, F14.251, F14.921, F14.950, F14.951, F15.121, F15.150, F15.151, F15.221, F15.250, F15.251, F15.921, F15.950, F15.951, F16.121, F16.150, F16.151, F16.221, F16.250, F16.251, F16.921, F16.950, F16.951, F18.121, F18.150, F18.151, F18.17, F18.221, F18.250, F18.251, F18.27, F18.921, F18.950, F18.951, F18.97, F19.121, F19.150, F19.151, F19.17, F19.221, F19.250, F19.251, F19.27, F19.921, F19.950, F19.951, F19.97, F22, F23, F24, F28, F29, F32.3, F33.3, F44.89
		Psychoses in Bipolar Disorder, Psychoses in Other Episodic Mood Disorders	F30.*, F31.*, F32.8, F34.8, F34.9, F39
		Psychoses in Major Depressive Disorder	F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9
		Schizophrenia or Schizoaffective Disorder	F20.*, F25.*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes
Botulinum Toxins	AbobotulinumtoxinA - Dysport®	Cervical Dystonia	G24.3
		Upper or Lower Limb Spasticity Associated with Complete Quadriplegia	G82.53
		Upper or Lower Limb Spasticity Associated with Incomplete Quadriplegia	G82.54
		Upper or Lower Limb Spasticity Associated with Cerebral Palsy	G80.0, G80.1, G80.2, G80.4, G80.8, G80.9
		Upper Limb Spasticity (ULS) Associated with Diplegia of Upper Limb	G83.0
		Upper or Lower Limb Spasticity Associated with Hemiplegia due to Late Effects of Cerebrovascular Disease	I69.●51, I69.●52, I69.●53, I69.●54, I69.●59
		Upper or Lower Limb Spasticity Associated with Intracranial Injury of Other and Unspecified Nature (Traumatic Brain Injury)	S06.1*, S06.2*, S06.3*, S06.4*, S06.5*, S06.6*, S06.8*, S06.9*
		Spasticity Associated with Monoplegia of Upper or Lower Limb	G83.1*, G83.2*, G83.3*
		Spasticity Associated with Monoplegia of Upper or Lower Limb due to Late Effects of Cerebrovascular Disease	I69.●31, I69.●32, I69.●33, I69.●34, I69.●39, I69.●41, I69.●42, I69.●43, I69.●44, I69.●49
		Upper or Lower Limb Spasticity Associated with Multiple Sclerosis (Relapsing)	G35
		Upper or Lower Limb Spasticity Associated with Spastic Hemiplegia	G81.1*
		Upper or Lower Limb Spasticity Associated with Spinal Cord Injury without Evidence of Spinal Bone Injury	S14.0*, S14.1●5*, S14.1●6*, S14.1●7*
	IncobotulinumtoxinA - Xeomin®	Blepharospasm	G24.5
		Cervical Dystonia	G24.3
		Upper Limb Spasticity (ULS) Associated with Multiple Sclerosis (Relapsing)	G35
		Upper Limb Spasticity (ULS) Associated with Cerebral Palsy	G80.0, G80.1, G80.2, G80.4, G80.8, G80.9
		Upper Limb Spasticity (ULS) Associated with Spastic Hemiplegia	G81.1*
		Upper Limb Spasticity (ULS) Associated with C5-C7 Complete Quadriplegia	G82.53
		Upper Limb Spasticity (ULS) Associated with C5-C7 Incomplete Quadriplegia	G82.54
		Upper Limb Spasticity (ULS) Associated with Diplegia of Upper Limb	G83.0
		Upper Limb Spasticity (ULS) Associated with Monoplegia of Upper Limb due to Late Effects of Cerebrovascular Disease	I69.●31, I69.●32, I69.●33, I69.●34, I69.●39
		Upper Limb Spasticity (ULS) Associated with Hemiplegia due to Late Effects of Cerebrovascular Disease	I69.●51, I69.●52, I69.●53, I69.●54, I69.●59
		Upper Limb Spasticity (ULS) Associated with Intracranial Injury of Other and Unspecified Nature (Traumatic Brain Injury)	S06.1*, S06.2*, S06.3*, S06.4*, S06.5*, S06.6*, S06.8*, S06.9*
		Upper Limb Spasticity (ULS) Associated with Monoplegia of Upper Limb	G83.2*
		Upper Limb Spasticity (ULS) Associated with Spinal Cord Injury without Evidence of Spinal Bone Injury (C5-C7)	S14.0*, S14.1●5, S14.1●6, S14.1●7

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes
Botulinum Toxins	OnabotulinumtoxinA - Botox®	Axillary Hyperhidrosis	L74.510
		Blepharospasm	G24.5
		Cervical Dystonia	G24.3
		Chronic Migraine (Prophylaxis)	G43.7*
		Overactive Bladder	N32.81
		Strabismus	H49.*, H50.*, H51.*
		Upper or Lower Limb Spasticity Associated with Multiple Sclerosis (Relapsing)	G35
		Upper or Lower Limb Spasticity Associated with Cerebral Palsy	G80.0, G80.1, G80.2, G80.4, G80.8, G80.9
		Upper or Lower Limb Spasticity Associated with Spastic Hemiplegia	G81.1*
		Upper or Lower Limb Spasticity Associated with Complete Quadriplegia	G82.53
		Upper or Lower Limb Spasticity Associated with Incomplete Quadriplegia	G82.54
		Upper Limb Spasticity (ULS) Associated with Diplegia of Upper Limb	G83.0
		Spasticity Associated with Monoplegia of Upper or Lower Limb	G83.1*, G83.2*, G83.3*
		Spasticity Associated with Monoplegia of Upper or Lower Limb due to Late Effects of Cerebrovascular Disease	I69.●31, I69.●32, I69.●33, I69.●34, I69.●39, I69.●41, I69.●42, I69.●43, I69.●44, I69.●49
		Upper or Lower Limb Spasticity Associated with Hemiplegia due to Late Effects of Cerebrovascular Disease	I69.●51, I69.●52, I69.●53, I69.●54, I69.●59
		Upper or Lower Limb Spasticity Associated with Intracranial Injury of Other and Unspecified Nature (Traumatic Brain Injury)	S06.1*, S06.2*, S06.3*, S06.4*, S06.5*, S06.6*, S06.8*, S06.9*
		Upper or Lower Limb Spasticity Associated with Spinal Cord Injury without Evidence of Spinal Bone Injury	S14.0*, S14.1●5*, S14.1●6*, S14.1●7*
		Urinary Incontinence (Detrusor Overactivity Associated with Neurological Disease)	N36.44, N31.9
	RimabotulinumtoxinB - Myobloc®	Cervical Dystonia	G24.3

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes
Immunomodulators & Multiple Sclerosis Interferons	Adalimumab - Humira®	Ankylosing Spondylitis	M08.1, M45.*, M48.8*
		Crohn's Disease	K50.*
		Noninfectious Intermediate, Posterior, and Panuveitis in Adults	H30.*, H44.11*
		Moderate to Severe Hidradenitis Suppurativa	L73.2
		Polyarticular Juvenile Idiopathic Arthritis	M08.0*, M08.2*, M08.3, M08.8*, M08.9*
		Psoriatic Arthritis	L40.*
		Rheumatoid Arthritis	M05.*, M06.*, M45.*
		Ulcerative Colitis	K51.*
	Alemtuzumab - Lemtrada® Dimethyl Fumarate - Tecfidera® Fingolimod HCl - Gilenya® Glatiramer Acetate - Copaxone® Interferon Beta-1A - Avonex®, Rebif® Interferon Beta-1B - Betaseron®, Extavia® Peginterferon Beta-1A - Plegridy® Teriflunomide - Aubagio®	Multiple Sclerosis (Relapsing)	G35
		Ankylosing Spondylitis	M08.1, M45.*, M48.8*
		Crohn's Disease	K50.*
		Psoriatic Arthritis	L40.*
		Rheumatoid Arthritis	M05.*, M06.*, M45.*
		Ankylosing Spondylitis	M08.1, M45.*, M48.8*
		Polyarticular Juvenile Idiopathic Arthritis	M08.0*, M08.2*, M08.3, M08.8*, M08.9*
		Psoriatic Arthritis	L40.*
	Etanercept - Enbrel®	Rheumatoid Arthritis	M05.*, M06.*, M45.*
		Rheumatoid Arthritis	M05.*, M06.*, M45.*
		Ankylosing Spondylitis	M08.1, M45.*, M48.8*
		Psoriatic Arthritis	L40.*
	Golimumab - Simponi Aria® IV	Rheumatoid Arthritis	M05.*, M06.*, M45.*
		Ankylosing Spondylitis	M08.1, M45.*, M48.8*
		Psoriatic Arthritis	L40.*
		Rheumatoid Arthritis	M05.*, M06.*, M45.*
	Golimumab - Simponi® SC	Ulcerative Colitis	K51.*
		Ankylosing Spondylitis	M08.1, M45.*, M48.8*
		Crohn's Disease	K50.*
		Psoriatic Arthritis	L40.*
	Infliximab - Remicade®	Rheumatoid Arthritis	M05.*, M06.*, M45.*
		Ulcerative Colitis	K51.*
		Mantle Cell Lymphoma	C83.1*
		Multiple Myeloma	C90.0*
	Lenalidomide - Revlimid®	Myelodysplastic Syndrome (MDS) with 5q Deletion	D46.C
		Crohn's Disease	K50.*
		Multiple Sclerosis (Relapsing)	G35
	Pomalidomide - Pomalyst®	Multiple Myeloma	C90.0*
	Ustekinumab - Stelara®	Psoriatic Arthritis	L40.*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes
Pulmonary Arterial Hypertension	Ambrisentan - Letairis®	Pulmonary Arterial Hypertension	I27.0, I27.2, I27.89, P29.3
	Bosentan - Tracleer®		
	Epoprostenol Sodium - Veletri®, Flolan®		
	Iloprost - Ventavis®		
	Macitentan - Opsumit®		
	Riociguat - Adempas®		
	Sildenafil - Revatio®		
	Tadalafil - Adcirca®		
	Treprostinil - Orenitram®, Remodulin®, Tyvaso®		
Hepatitis C	Boceprevir - Victrelis®	Chronic Hepatitis C	B18.2
	Daclatasvir - Daklinza®		
	Elbasvir/Grazoprevir - Zepatier®		
	Ledipasvir/Sofosbuvir - Harvoni®		
	Ombitasvir/Paritaprevir/ Ritonavir - Technivie®		
	Ombitasvir/Paritaprevir/Ritonavir & Dasabuvir - Viekira Pak®, Viekira XR®		
	Peginterferon Alfa-2B (PegIntron®)		
	Ribavirin - Copegus®, Moderiba®, Rebetol®, Ribasphere®		
	Simeprevir - Olysio®		
	Sofosbuvir - Sovaldi®		
	Sofosbuvir / Velpatasvir - Epclusa®		
Other Interferons	Interferon Alfa-2B Recomb - Intron A®	AIDS-Related Kaposi's Sarcoma	C46.*
		Chronic Hepatitis B	B18.0, B18.1
		Chronic Hepatitis C	B18.2
		Follicular Lymphoma	C82.*
		Hairy Cell Leukemia	C91.4*
		Melanoma	C43.*
	Interferon Alfa-N3 - Alferon N®	External Genital Warts (Condylomata Acuminata)	A63.0
	Interferon Gamma-1B - Actimmune®	Chronic Granulomatous Disease	D71
		Malignant Osteopetrosis	Q78.2
	Peginterferon Alfa-2A - Pegasys®	Chronic Hepatitis B	B18.0, B18.1
		Chronic Hepatitis C	B18.2
	Peginterferon Alfa-2B - Sylatron®	Melanoma	C43.*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes
Hormones	Goserelin Acetate (1 month) - Zoladex® 3.6mg	Breast Cancer (Female)	C50.●1*
		Dysfunctional Uterine Bleeding	N89.7, N92.5, N93.8
		Endometriosis	N80.*
		Prostate Cancer	C61
	Goserelin Acetate (3 month) - Zoladex® 10.8mg Histrelin Acetate (Vantas®) Leuprolide Acetate - Eligard®, Lupron Depot® 7.5mg, 22.5mg [3 month], 30mg [4 month], 45mg [6 month] Triptorelin Pamoate - Trelstar®	Prostate Cancer	C61
		Central Precocious Puberty	E30.1, E30.8
		Central Precocious Puberty	E30.1, E30.8
		Prostate Cancer	C61
	Leuprolide Acetate - Lupron®	Endometriosis	N80.*
		Uterine Leiomyoma	D25.*
		Cervical Shortening Antepartum Condition or Complication	O26.87*
		Pregnancy with History of Preterm-Labor	O09.21*
	Leuprolide Acetate - Lupron Depot® 3.75mg, 11.25mg [3 month]	Unspecified High Risk Pregnancy	O09.9*
		Pregnancy with History of Preterm-Labor	O09.21*
		Central Precocious Puberty	E30.1, E30.8
		Endometriosis	N80.*
Topical	Imiquimod - Zyclara® 2.5%	Actinic Keratosis	L57.0
	Imiquimod - Zyclara® 3.75%	Actinic Keratosis	L57.0
		External Genital Warts (Condylomata Acuminata)	A63.0
	Imiquimod - Aldara® 5%	Actinic Keratosis	L57.0
		External Genital Warts (Condylomata Acuminata)	A63.0
		Superficial Basal Cell Carcinoma	C44.●1*
	Tazarotene - Tazorac®	Psoriatic Arthritis	L40.*
Somatropin	Somatropin - Genotropin®, Humatrope®, Norditropin®, Nutropin®, Omnitrope®, Saizen®, Tev-Tropin®	Growth Failure in Children Associated with Renal Insufficiency or Chronic Kidney Disease	N25.0
		Iatrogenic Pituitary Disorders	E23.1, E89.3
		Panhypopituitarism, Pituitary Dwarfism	E23.0
		Prader-Willi Syndrome, Noonan Syndrome	Q87.1
		Short Stature in Children (Idiopathic or SHOX Deficiency)	R62.52
		Small for Gestational Age at Birth (Fetal Growth Retardation) Who Fail to Manifest Catch-up Growth or with No Catch-up Growth	P05.1
		Turner Syndrome	Q96.*
	Somatropin (Serostim® only)	HIV-Associated Cachexia or Wasting	R64
	Somatropin (Zorbtive® only)	Short Bowel Syndrome in Patients Receiving Specialized Nutritional Support (Blind Loop Syndrome, Other Unspecified Post-Surgical Nonabsorption)	K90.2, K91.2

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes
Miscellaneous	Aldesleukin - Proleukin®	Melanoma	C43.*
		Renal Cell Carcinoma	C64.*
	Aztreonam - Cayston® Tobramycin - Bethkis®, Tobi®	Cystic Fibrosis with Pseudomonas	E84.*
		Generalized Anxiety Disorder	F41.1
	Alprazolam ODT - Niravam®	Panic Disorder with Agoraphobia	F40.01
		Panic Disorder without Agoraphobia	F41.0
		Panic Disorder with Agoraphobia	F40.01
	Alprazolam XR - Xanax XR®	Panic Disorder without Agoraphobia	F41.0
		Buprenorphine HCl - Subutex® / Naloxone HCl - Bunavail®, Suboxone®, Zubsolv®	F11.2*
	Fentanyl Buccal/Sublingual - Abstral®, Actiq®, Fentora®, Lazanda®, Subsys®	Opioid Type Dependence	F11.2*
		Cancer	C00.*-C96.*
	Deferasirox - Exjade®, Jadenu® (2 to 9 years of age)	Chronic Iron Overload Due to Blood Transfusions	E83.111
		Chronic Iron Overload Due to Blood Transfusions	E83.111
		Hemoglobin C/β-Thalassemia	D56.8
		Hemoglobin E/β -Thalassemia	D56.5
		Hemoglobin S/β-Thalassemia	D57.4*
		α-Thalassemia Intermedia [Hemoglobin H Disease]	D56.0
		β-Thalassemia Intermedia	D56.1
	Dornase Alfa - Pulmozyme® Ivacaftor - Kalydeco®	Cystic Fibrosis	E84.*
		Atherosclerosis	I70.*
Risk Factors Required with Orlistat	Orlistat - Xenical® Recipient must have at least one of these risk factors warranting Orlistat use	Cerebrovascular Disease	I60.*, I61.*, I62.*, I63.*, I65.*, I66.*, I67.*, I68.*, I69.*
		Dyslipidemia	E78.0-E78.5
		Gastric Reflux Disease	K21.0, K21.9
		Hyperinsulinemia	E15, E16.1
		Hypertension	I10, I11.*, I12.*, I13.*, I15.*
		Impaired Glucose Tolerance	R73.02
		Ischemic Heart Disease	I21.*, I22.*, I24.*, I25.*
		Osteoarthritis of Hips/Knees	M16.*, M17.*
		Other Peripheral Vascular Diseases	I73.*
		Phlebitis & Thrombophlebitis of Lower Extremities, unspecified	I80.3
		Phlebitis & Thrombophlebitis of Other Deep Vessels	I80.2*
		Phlebitis & Thrombophlebitis of the Femoral Vein	I80.1*
		Phlebitis & Thrombophlebitis of the Superficial Vessels of the Lower Extremities	I80.0*
		Pseudotumor Cerebri	G93.2
		Sleep Apnea	G47.30
		Type 2 Diabetes	E11.*
		Varicose Veins of Lower Extremities, with Inflammation	I83.1*
		Varicose Veins of Lower Extremities, without Mention of Ulcer and Inflammation	I83.9
		Varicose Veins of Lower Extremities, with Ulcer	I83.0*
		Varicose Veins of the Lower Extremities with Ulcer and Inflammation	I83.2*

Louisiana Medicaid Fee-For-Service Pharmacy Program ICD-10-CM List for Medications with Point-of-Sale Diagnosis Code Policies

Medications have been grouped together if they are payable for the same diagnosis or group of diagnoses.

Medications Requiring Diagnosis Code(s) Generic - Brand Examples		Diagnosis Description	ICD-10 Codes		
Histamine H ₂ Antagonists	Cimetidine - Tagamet® Famotidine - Pepcid® Nizatidine - Axid® Ranitidine - Zantac® Sucralfate - Carafate® When the pharmacy submits one of the listed diagnosis codes with H₂ antagonist claims, 90-day duration of therapy limit will not apply	Abscess of Esophagus	K20.8		
		Barrett's Esophagus	K22.7*		
		Chronic Pancreatitis	K86.0, K86.1		
		Crohn's Disease	K50.*		
		Duodenal Ulcer	K26.*		
		Esophagitis, unspecified	K20.9		
		Gastric Hyperacidity	K30		
		Gastric Ulcer	K25.*		
		Gastritis / Duodenitis	K29.*		
		Gastroesophageal Reflux Disease (GERD)	K21.9		
		Gastrointestinal Hemorrhage	K92.2		
		H. Pylori	B96.81		
		Malignant Mast Cell Tumors	C96.2		
		Multiple Endocrine Adenomas	D44.0, D44.2, D44.9		
		Peptic Ulcer	K27.*		
		Reflux Esophagitis	K21.0		
		Ulcer of Esophagus with OR without Bleeding	K22.1*		
		Zollinger-Ellison Syndrome	E16.4		
Proton Pump Inhibitors (PPIs)	Dexlansoprazole - Dexilant® Esomeprazole - Nexium® Lansoprazole - Prevacid® Omeprazole - Prilosec® Pantoprazole - Protonix® Rabeprazole - Aciphex® When the pharmacy submits one of the listed diagnosis codes with PPI claims, 120-day duration of therapy limit will not apply	Abscess of Esophagus	K20.8		
		Angiodysplasia of Stomach and Duodenum with OR without Mention of Hemorrhage	K31.81*		
		Atrophic Gastritis with Hemorrhage	K29.41		
		Barrett's Esophagus	K22.7*		
		Chronic Pancreatitis	K86.0, K86.1		
		Congenital Tracheoesophageal Fistula	Q39.1, Q39.2		
		Cystic Fibrosis	E84.*		
		Eosinophilic Esophagitis	K20.0		
		Eosinophilic Gastritis	K52.81		
		Gastrointestinal Hemorrhage	K92.2		
		Gastrointestinal Mucositis (Ulcerative)	K92.81		
		Malignant Mast Cell Tumors	C96.2		
		Multiple Endocrine Adenomas	D44.0, D44.2, D44.9		
		Tracheoesophageal Fistula	J86.0		
		Ulcer of Esophagus with OR without Bleeding	K22.1*		
		Zollinger-Ellison Syndrome	E16.4		
		Diagnoses that Bypass Quantity Limits	Albuterol - ProAir HFA®, Proventil HFA®, Ventolin HFA® QL Levalbuterol - Xopenex HFA® QL Pirbuterol Acetate - Maxair Autohaler® QL	Bronchitis, not specified	J40
				Chronic Airway Obstruction	J44.9
Cystic Fibrosis	E84.*				
Emphysema	J43.*				
Obstructive Chronic Bronchitis, Chronic Obstructive Asthma	J44.*				
Clonazepam - Klonopin® QL Clorazepate - Tranxene-T® QL Diazepam - Valium® QL Opioids with Quantity Limits QL	Convulsions in Newborn		P90		
	Epilepsy, Seizures		G40.*		
	Other Convulsions		R56.*		
	Cancer		C00.*-C96.*		
	Palliative Care		Z51.5		
* - any number or letter or combination of UP TO FOUR numbers and letters of an assigned ICD-10-CM diagnosis code					
• - any ONE number or letter of an assigned ICD-10-CM diagnosis code					
QL - quantity limit bypasses with one of these diagnoses					
NOTES:					
(1) From www.lamedicaid.com , follow the link for Pharmacy and Prescribing Providers to find all provider notifications regarding Fee-For-Service Pharmacy policies. The posted policies may contain ICD-9-CM diagnosis codes; however, this table may be used to determine applicable ICD-10-CM diagnosis codes for the medications included in these policies.					
(2) Other medications may require an ICD-10-CM diagnosis code. All Schedule II narcotics require a diagnosis code. COX-2 selective agents require a diagnosis code. In cases where the monthly prescription limit is exceeded, an ICD-10-CM diagnosis code is required on all prescriptions in excess of the monthly prescription limit.					